


Percentage of High School Students Who Felt Sad or Hopeless,* by Sex,† Grade,† and Race/Ethnicity, 2021




*Almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey

†F > M; 12th > 9th, 12th > 11th (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Felt Sad or Hopeless,* 1999-2021†




*Almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey

†Increased 1999-2021, decreased 1999-2013, increased 2013-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

Data not available for 2001, 2009, 2015, 2017.

This graph contains weighted results.

Percentage of High School Students Who Seriously Considered Attempting Suicide,* by Sex,† Grade,† and Race/Ethnicity, 2021




*During the 12 months before the survey

†F > M; 12th > 11th (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Seriously Considered Attempting Suicide,* 1993-2021†




*During the 12 months before the survey

†Decreased 1993-2021, decreased 1993-2011, increased 2011-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

Data not available for 1995, 2001, 2009, 2015, 2017.

This graph contains weighted results.

Percentage of High School Students Who Made a Plan About How They Would Attempt Suicide,* by Sex,† Grade, and Race/Ethnicity,† 2021




*During the 12 months before the survey

†F > M; B > W (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Made a Plan About How They Would Attempt Suicide,* 1993-2021†




*During the 12 months before the survey

†Decreased 1993-2021, decreased 1993-2007, increased 2007-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

Data not available for 1995, 2001, 2009, 2015, 2017.

This graph contains weighted results.

Percentage of High School Students Who Attempted Suicide,* by Sex,† Grade, and Race/Ethnicity, 2021




*One or more times during the 12 months before the survey

†F > M (Based on t-test analysis, $p < 0.05$.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Attempted Suicide,* 1993-2021†



*One or more times during the 12 months before the survey

†Decreased 1993-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

Data not available for 1995, 2001, 2009, 2015, 2017.

This graph contains weighted results.

Percentage of High School Students Who Had a Suicide Attempt That Resulted in an Injury, Poisoning, or Overdose That Had to Be Treated by a Doctor or Nurse,* by Sex,[†] Grade,[†] and Race/Ethnicity, 2021




*During the 12 months before the survey

[†]F > M; 9th > 12th (Based on t-test analysis, p < 0.05.)

All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.

This graph contains weighted results.

Percentage of High School Students Who Had a Suicide Attempt That Resulted in an Injury, Poisoning, or Overdose That Had to Be Treated by a Doctor or Nurse,* 1993-2021†




*During the 12 months before the survey

†Decreased 1993-2021, increased 1993-2003, decreased 2003-2021 [Based on linear and quadratic trend analyses using logistic regression models controlling for sex, race/ethnicity, and grade ($p < 0.05$). Significant linear trends (if present) across all available years are described first followed by linear changes in each segment of significant quadratic trends (if present).]

Data not available for 1995, 2001, 2009, 2015, 2017.

This graph contains weighted results.

Percentage of High School Students Who Reported That Their Mental Health Was Most of the Time or Always Not Good,* by Sex,† Grade, and Race/Ethnicity, 2021



*Including stress, anxiety, and depression, during the 30 days before the survey
 †F > M (Based on t-test analysis, p < 0.05.)
 All Hispanic students are included in the Hispanic category. All other races are non-Hispanic.
 This graph contains weighted results.